

KRIDHAYE

≡ KOATINGS PVT. LTD. ≡



ABOUT US

KRIDHAYE is an amalgam of Krishna and Radhaye. A fresh venture by the parent company Dilip Industries that has been into manufacturing of chemicals since 1987. Established in 2012, we take utmost pride in announcing that all coating products under the brand name of Kridhaye are waterbased and 100% eco friendly to use.

AIM: To bring about a change, where India is on the same page with other developed countries for quality coating products for a better tomorrow.

Quality is of paramount importance to us and so, have strongly dedicated advanced laboratories, for raw material testing, performance testing, and final QC check enabling all our products to have superior quality consistency year after year.

With research centers at 3 different locations, highly qualified staff and research team, there is constant drive to capture and establish a stronghold over every sector of coatings industry, through ecofriendly waterbased products contributing to industrial reformation for a better tomorrow.

With a total output of over 100 metric tonnes and production facilities at Palghar, Umergaon and Vapi, our products are marketed globally in over 7 different countries.



KRIDHAYE
COATINGS PVT. LTD.

PRIMERS

Primers play a crucial role in any painting / coatings application. They contribute to good adhesion for top coats also minimising their consumption.

DYNAMIC PRIMER: A multifunctional primer to be used as basecoat for interior/exterior applications. Provides excellent opacity, easy sanding and assures uniformity of top coats.

COVERAGE: One coat 10-12 sq.mtr/ltr on smooth surfaces.

Sanding can be done after 1 hr. (Sanding must for interior use).



MULTIPURPOSE SEALER: Multipurpose Sealer is a tough and durable sealer/primer that performs as an undercoat for interior/exterior applications. Provides excellent sealing properties to surface minimizing moisture permeability, blooming, chalking and mildew problems and reducing paint consumption. (Sanding must for interior use.)

COVERAGE: One coat 12-14 sq. mtr/ltr on smooth surfaces.

Sanding can be done after 1 hr. (Sanding must for interior use).

DILUTION: 20-25% with clean potable water.

DRYING TIME: Varies as per atmospheric conditions. 20-30 minutes for touch dry.



INTERIOR PAINTS

ACRYKOTE LOW SHEEN: A highly durable water based paint with matt finish for interior applications with excellent scrub and burnish resistance. Gives a very sober and decent look.

SHEEN LEVEL: Matt.

INTERIOR CEILING WHITE: Specially designed for interior ceilings providing with unmatched whiteness and flat finish that helps in hiding surface imperfections giving a very uniform and levelled paint film appearance.

SHEEN LEVEL: Matt.

INTERIOR SUPERIOR FINISH: A special co-polymeric formulation that gives a very smooth and silky appearance to the walls. It has low stipple appearance that makes the paint visually appealing from all angles.

SHEEN LEVEL: Semi-gloss.

INTERIOR PREMIUM TOUCH: Gives a very classy and luxurious finish to walls and has superior resistance to stain and water permeability.

SHEEN LEVEL: Gloss.

COVERAGE: 10-12 Sq.mtr/ltr on smooth surfaces.

DILUTION: 15-20% with clean potable water.

DRYING TIME: Varies as per atmospheric conditions (30-45 minutes for touch dry).



EXTERIOR PAINTS

EXTERIOR UNIVERSAL KOTE: A long lasting exterior paint that gives excellent hiding power and coverage making it the best cost effective paint in the market. Has anti-fungal and mildew resistance properties.

COVERAGE: 12-14 sq.mtr/ltr on smooth surfaces.

SHEEN LEVEL: Matt.

EXTERIOR CLIMATE KOTE: An extremely durable paint for all weather conditions and having minimum dirt pick up properties and anti-fading additives that maintains house exteriors new look for round the year. Its co-polymeric formulation gives textured walls a luxurious finish.

COVERAGE: 10-12 sq.mtr/ltr. on smooth surfaces.

SHEEN LEVEL: Semi-Gloss.

EXTERIOR DIAMOND PROTECT: It has latest water beading technology so that water droplets forms small pearl like beads and flows off the coating. This makes Diamond Protect highly resistant to water and moisture permeability identifying it as (paint and waterproofing in one) the most durable paint ever available in the present market. It has outstanding stain resistance and anti-microbial properties.

COVERAGE: 10-12 sq.mtr/ltr.

SHEEN LEVEL: Semi-Gloss.

DILUTION: 20-25% with clean potable water.

DRYING TIME: Varies as per atmospheric conditions. 20-30 minutes for touchy dry.



WOODKOATINGS

Can be applied to all types of woods, ply-wood, veneer, MDF boards.

WOODKOTE HIGH GLOSS: Ingeniously formulated with nano-technology based ingredients, WOODKOTE HG has excellent flow and levelling properties that gives unmatched gloss to wood and other architectural finishes for interior applications.

WOODKOTE PREMIUM: WOODKOTE PREMIUM is an innovative formulation to provide a robust coating for interior/exterior applications. Its unequalled clarity gloss, mar resistance and durability have set a benchmark in wood coatings industry.

WOODKOTE MATT: It has micronized matting agents for exceptional clarity giving a very smooth and rich film finish. The surface chemistry is formulated to provide with excellent adhesion and mar resistance properties to the coating.

WOODKOTE DECO WHITE: A beautiful high gloss bright white coating that gives deco finish to your woods for all architectural applications. Has excellent stain resistance properties and is easily washable.

Waterbased Wood Sealer available in clear matt and white.



METALKOTES

For the first time in India, A water-based METAL CLEANER, METAL PRIMER for rust inhibition and water-based METAL TOPKOTE. All of them are single pack system, hence no need to add any thinner, or water. Apply as supplied. Finds excellent resistant to water, salts, acid rains, solvents. Can be used on Iron, Cast Iron, Mild Steel, Aluminium and other metal alloys.

METAL CLEANER: A water-based metal cleaner that removes and cleans existing rust, grease and other impurities usually found on metal surfaces. Its ease of application and cost effectiveness and efficiency makes it the most sought after product in architectural and industrial business.

METAL PRIMER: Based on latest surface coated zinc particle technology, it forms a protective layer over the metal surface that acts as a physical barrier between the substrate and the corrosive environment. Finds excellent resistant to water, salts, acid rains, solvents.

METAL TOPKOTE: Metal TopKote is robust water-based enamel that acts as a top coat to give a glossy finish to your grills, metal gates, designer chairs, antiques etc. It tends to form a continuous layer of glossy membrane on the surface protecting it from fading, corrosion or rust.

COLOR: Clear, Black and White. Tints can be added as per requirement.





KRIDHAYE

≡ KOATINGS PVT. LTD. ≡

Complete Technical Data Sheets and MSDS are available on request.
For Further information please contact on enquiry@kridhaye.com
OR kridhaye4587@gmail.com

Address: 3, Moraji Velji Estate, LT Road, Borivali (West), Mumbai - 400 092.
Tel.: 022 28919259 | Website: www.kridhaye.com